



MINISTERIO
DE DERECHOS SOCIALES, CONSUMO
Y AGENDA 2030

**Servicio REST de Depósitos y
Anulaciones de Jugadores
para Operadores de Juego**

SECRETARÍA GENERAL DE
CONSUMO Y JUEGO

DIRECCIÓN GENERAL DE
ORDENACIÓN DEL JUEGO

Specification of the REST Service for Player Deposits and Cancellations for Gaming Operators of the Joint Deposit Limits System (SLDC-OPERADORES)

Version 1.0.0

June 2026



1	Objetives	4
1.1	Document Change Log	5
2	Functional Specification	6
2.1	API REST and Operations	6
2.2	Input Parameters.....	7
2.2.1	Deposit.....	7
2.2.2	Cancellation	8
2.3	Service Responses	9
2.3.1	Deposit Response.....	9
2.3.2	Cancellation Response	11
2.3.3	Error Response for Any Operation	11
2.3.4	Debugging in the Test Environment.....	11
2.4	Operator Authorization	13
2.4.1	Communication Establishment.....	13
2.4.2	Operator Authentication	13
3	Description of Environments	13
3.1	Production	13
3.2	Tests	14
4	Testing of the service	16
4.1	Objetives	16
5	Appendices	16
5.1	Result and Error Codes.....	16
5.2	Test cases in the testing environment.....	17
5.2.1	Description of the test cases	17
5.2.1.1	Make a deposit COMPLETA (Complete):	17
5.2.1.2	Make a deposit FALLIDA (Failed):	18
5.2.1.3	Perform cancellation (OK):.....	19
5.2.2	List of generic error cases.....	19



5.2.2.1	Mandatory data not provided	19
5.2.2.2	Responses in the Testing environment.....	33
5.2.2.3	Operator Authentication	36



1 Objectives

The purpose of this document is to describe the technical and functional specification of the public interface (REST API) for the communication of player deposit and cancellation operations that the Directorate General for Gambling Regulation (hereinafter, DGOJ) will provide to gaming operators.

This service will allow operators to report deposited amounts or cancel a previously executed deposit operation, returning whether the operation is accepted or rejected according to the player's configuration within the Joint Deposit Limits System (hereinafter, SLDC), in accordance with the Royal Decree 520/2026, of 24 June, amending Royal Decree 1614/2011, of 14 November, which develops Law 13/2011, of 27 May, on the regulation of gambling, with regard to licenses, authorizations, and gambling registries, for the introduction of a joint deposit limits system per player, and Royal Decree 176/2023, of 14 March, which establishes safer gambling environments.

To facilitate the implementation of client software consuming this REST API, the Directorate General for Gambling Regulation will provide operators with a testing environment. The first version of this document describes the different calls that can be made to the REST API, including the required fields and possible responses.



1.1 Document Change Log

Version	Date	Description
1.0.0	JUNE 2026	Original drafting



2 Functional Specification

2.1 API REST and Operations


The functional specification of the REST API is defined below:

slcd-operadores		
deposito		
input		depositoRequest
output		depositoResponse
fault		faultResponse
anulacion		
input		anulacionRequest
output		anulacionResponse
fault		faultResponse

The REST API will provide two operations:

1. **“Depósito” (Deposit):** The Operator may use this operation, by identifying itself as a valid Operator within the System and specifying the Player performing the operation along with their identification details, date of birth, deposit amount, and reference code, to report the execution of a deposit.
2. **“Anulación” (Cancellation):** The Operator may use this operation to cancel a deposit previously made by a Player..

An explanatory diagram is shown in the following figure:





2.2 Input Parameters

2.2.1 *Deposit*

A deposit request submitted by an Operator shall be performed via a POST call to an endpoint, including the following information.:



Attribute	Type	Maximum size	Description
uuidOperacionOperador	Uuid (Required)	36 characters	Unique identifier generated by the Operator. It prevents the same operation from being duplicated within the system. Hexadecimal format. One block of 8 characters, three blocks of 4 characters, and a final block of 12 characters. The blocks shall be separated by hyphens.
idOperador	String (Required)	32 characters	Unique identifier of the Operator for the DGOJ.
cantidadDeposito	Entero (Required)	Numeric (Entero)	Amount, in euro cents, to be applied as a deposit for the specified Player.
identificadorJugador	String (Required)	32 characters	Identification document (DNI/NIE) of the Player within the System..
fechaEfectivaOperacion	Datetime (Required)	Format UTC-Zulú: YY/MM/DDTHH:M M:SS.sssZ	Date on which the Operator records the operation in its systems.
fechaNacimiento	Date (Required)	Format: YY/MM/DD	As part of the Player's identification data, the date of birth held by the Operator for the Player..
nombre	String (Required)	64 characters	As part of the Player's identification data, the Player's name as held by the Operator..
primerApellido	String (Required)	64 characters	As part of the Player's identification data, the Player's first surname as recorded by the Operator..
segundoApellido	String (Optional)	64 characters	As part of the Player's identification data, the Player's second surname as recorded by the Operator..

2.2.2 Cancellation

A cancellation request for a deposit submitted by an Operator shall be performed via a POST call to an endpoint, after having received a response to a previous deposit operation with status COMPLETA, and providing the following information:



Attribute	Type	Maximum size	Description
uuidOperacionOperador	Uuid (Required)	36 characters	Unique identifier generated by the Operator. It prevents the same operation from being duplicated within the system. Hexadecimal format. One block of 8 characters, three blocks of 4 characters, and a final block of 12 characters. The blocks shall be separated by hyphens.
idOperador	String (Required)	32 characters	Unique Operator identifier for the DGOJ.
identificadorJugador	String (Required)	32 characters	Documento identificativo (DNI/NIE) del Jugador en la Solución.
uuidRegistroOperacion	Uuid (Required)	36 characters	Unique identifier returned by the deposit operation to be cancelled.
fechaEfectivaOperacion	Datetime (Required)	Format UTC-Zulú: YY/MM/DD THH:MM:SS.sssZ	Date on which the Operator records the operation in its systems.
fechaNacimiento	Date (Required)	Format: YY/MM/DD	As part of the Player's identification data, the Player's date of birth as recorded by the Operator..
nombre	String (Required)	64 characters	As part of the Player's identification data, the Player's name as recorded by the Operator..
primerApellido	String (Required)	64 characters	As part of the Player's identification data, the Player's first surname as recorded by the Operator..
segundoApellido	String (Optional)	64 characters	As part of the Player's identification data, the Player's second surname as recorded by the Operator

2.3 Service Responses

2.3.1 Deposit Response

The deposit endpoint, as a successful response to the request with an HTTP 200 response, shall return the following information:

Attribute	Type	Description
uuidRegistroOperacion	Uuid	Unique identifier generated by the Solution to be used in case it is necessary to subsequently cancel the Operation.
cantidadAplicada	Integer	Result, in euro cents, after applying the Joint Limits logic. This amount will either be equal to the one requested by the operation or 0, indicating that the Joint Limits do not allow applying the amount because those limits have been exceeded.
fechaEfectivaOperacion	Datetime	Date on which the Solution records the requested operation.



estadoOperacion	String (enumeration)	Indicates the result of the requested operation, consisting of: "COMPLETA" (COMPLETE): The System accepts and has recorded the requested amount "FALLIDA" (FAILED): The requested amount exceeds one or more of the joint limits set by the Player, and therefore the amount is not accepted.
estadoJugador	String (enumeration)	Player Status according to the Player Verification Service. The return codes for this field will correspond to those documented in section 4.1 of the Player Verification Web Service (SVJ) specifications document. If the SLDC has not yet been able to query the status in the SVJ, the status "COD800" will be returned.
datosLimitesJugador	Array (optional per environment)	Array containing the player's status data (only in the Testing environment), as described in the "Debugging in the Testing environment" section



2.3.2 Cancellation Response

The cancellation endpoint, as a successful response to the request with an HTTP 200 response, shall not return any payload, except in the Test environment, where it will return a single attribute..

Attribute	Type	Description
datosLimitesJugador	Array optional per environment)	Array containing the player's status data (only in the Testing environment), as described in the "Debugging in the Testing environment" section"

2.3.3 Error Response for Any Operation

In the event of a failure in the requested operation, the service shall return different HTTP response codes.:

HTTP Response Code	Description
400	Logical errors in the request.
500	Internal connectivity errors

In both cases, the response payload will contain the following JSON (see section 5.1).:

Attribute	Type	Description
code	Integer	Identification of the functional error code.
description	String	Description of the detected error.

2.3.4 Debugging in the Test Environment

In the Test environment(see section 3), for both Deposit and Cancellation operations, the player's status data after the requested operation has been applied shall be added for debugging purposes.

This attribute, the datosLimiteJugador array, shall contain, for each limit associated with



the Player, the following information:

<i>Attribute</i>	<i>Type</i>	<i>Description</i>
idDefinicionLimite	Integer	Unique identifier of the reported limit (daily, weekly, 4 weeks)
cuantiaActual	Integer	Euro cents associated with the player for the specified limit
tipoCambio	String	Internal information on the limit change status (ignore)
fechaFuturaSiguienteCuantia	String Date Time UTC Zulú (opcional)	If a future increasing limit is assigned, the date on which it will be applied.
cuantiaFutura	Integer	Euro cents to be applied in the future for the associated limit.
fechaBloqueoLimite	String Date Time UTC Zulú (opcional)	Date on which the player will be able to apply new limit increases.
fechaInicio	String DateTime UTC Zulú	Start date of the interval in which the limit begins.
fechaFin	String DateTime UTC Zulú	End date of the interval when the limit will be reset.
acumuladoActual	Integer	Euro cents that the player has already applied in deposits.
etiqueta	String	Readable name of the reported limit (Daily, Weekly...)



2.4 Operator Authorization

2.4.1 Communication Establishment

Communication between the operator's systems and the REST API will be defined in the coming weeks..

2.4.2 Operator Authentication

Authentication and authorization between the operator's systems and the REST API will be defined in the coming weeks..

3 Description of Environments

The services shall be invoked via URLs within a technological stack that is currently being finalized and validated.

3.1 Production

A maximum of two versions of the service may coexist to allow operators to progressively deploy a version of the service in their production systems. The DGOJ will agree with the operators on the version change schedule, defining which service endpoint and REST version are supported at any given time, as well as the decommissioning timeline for the previous version..

From version 1.0 of the service onwards, the access URLs shall include the corresponding version identifier (v1), coexisting with the URLs of subsequent versions that may be published, during the period established by the DGOJ, with the aim of facilitating the implementation and adaptation of operators.

The version numbering of the document does not correspond to that of the software and the REST API.



For each operator, the environment shall not be activated until a specific license has been granted, and registration for the service may not be requested until that time via a form that will be published in the near future.

Access to the production REST API shall only be enabled for the IP addresses communicated by the operators through the procedure that will be specified in the near future. These IP addresses shall correspond to the servers or systems that establish communication with the DGOJ and must therefore be individual addresses, with a maximum of four allowed unless a duly justified request is submitted. In the event that the DGOJ decides to suspend the service provided to an operator, the declared IP addresses will be used to block traffic. It is therefore the operator's responsibility to use unique IP addresses that are not shared with other operators when accessing DGOJ services.

3.2 Tests

There is a single access point to the latest version of the service. Version changes will be announced to operators well in advance, and the previous version will be discontinued.

Endpoint (URLs not yet accessible):

<https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

<https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

Where v is a digit indicating the version number of the REST API.

Gaming operators wishing to perform tests with the REST API must request access to the test environment through the corresponding form.



MINISTERIO
DE DERECHOS SOCIALES CONSUMO
Y AGENDA 2030

SECRETARÍA GENERAL DE
CONSUMO Y JUEGO
DIRECCIÓN GENERAL DE
ORDENACIÓN DEL JUEGO

Junio de 2026

ATOCHA 3
28012 - MADRID
TEL. +34 91.571.40.80



4 Testing of the service

4.1 Objectives

In future versions of the SLDC, operators using the REST API may be provided with the option to check the service status through a dedicated TEST service independent from the SLDC REST API.

5 Appendices

5.1 Result and Error Codes

The following table shows the codes corresponding to the result types of the different operations..

Result Codes	
<i>Deposits</i>	
500	Servicio temporalmente no disponible. (Service temporarily unavailable).
10000	Datos de filiación no indicados. La operación no es permitida sin estos datos. (Affiliation details not provided. The operation is not permitted without this information).
10001	Solicitud denegada por falta de datos en la operación (Request denied due to missing data in the operation).
20000	Operación ya registrada anteriormente. (Operation already recorded previously).
90000	Servicio temporalmente no disponible. (Service temporarily unavailable).
<i>Cancellations</i>	
500	Servicio temporalmente no disponible. (Service temporarily unavailable).
10000	Datos de filiación no indicados. La operación no es permitida sin estos datos. (Affiliation details not provided. The operation is not permitted without this information).
10001	Solicitud denegada por falta de datos en la operación (Request denied due to missing data in the operation).
20001	Datos de anulación no indicados o incorrectos. (Cancellation data not provided or incorrect).
20002	Registro de Operación invalido ante una anulación. Se ha indicado un registro de operación inexistente o ya utilizado anteriormente para una anulación.



	(Invalid operation record for a cancellation. A non-existent operation record or one already used previously for a cancellation has been provided).
90000	Servicio temporalmente no disponible. (Service temporarily unavailable)

5.2 Test cases in the testing environment

5.2.1 Description of the test cases

5.2.1.1 Make a deposit COMPLETA (Complete):

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",
  "idOperador": "1040",
  "cantidadDeposito": 300,
  "identificadorJugador": "X0000000T",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Response:

Code HTTP: 201 Created

```
{
  "uuidRegistroOperacion": "019eeebb-a4b8-7a78-af60-ca7b03d251b5",
  "fechaEfectivaOperacion": "2026-06-22T09:48:55.352Z",
  "estadoOperacion": "COMPLETA",
  "estadoJugador": "COD800"
}
```



5.2.1.2 Make a deposit FALLIDA (Failed):

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d265-36405ddc715d",  
  "idOperador": "1040",  
  "cantidadDeposito": 30000,  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

```
{  
  "uuidRegistroOperacion": "019eeebb-a4b8-7a78-af60-ca7b03d251b5",  
  "fechaEfectivaOperacion": "2026-06-22T09:48:55.352Z",  
  "estadoOperacion": "FALLIDA",  
  "estadoJugador": "COD800"  
}
```



5.2.1.3 Perform cancellation (OK):

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",
  "idOperador": "1040",
  "identificadorJugador": "X0000000T",
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Response:

Code HTTP: 200 OK

5.2.2 List of generic error cases

5.2.2.1 Mandatory data not provided

If any of the data fields defined as mandatory in the service are missing, the errors indicated in section 5.1 will be returned

1.1.1.1.1 Deposit with "Uuid" field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "idOperador": "1040",
  "cantidadDeposito": 30000,
  "identificadorJugador": "X0000000T",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",

```



```
"segundoApellido": "NIEPRUEBAS",  
"fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10001,  
    "descripcion": "Datos de depósito no indicados o incorrectos"  
  }  
}
```

1.1.1.1.2 Deposit with "idOperador" field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc735d",  
  "cantidadDeposito": 300,  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10001,
```

Junio de 2026



```
"descripcion": "Datos de depósito no indicados o incorrectos"
}
}
```

1.1.1.1.3 Deposit with “cantidadDeposito” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",
  "idOperador": "1040",
  "identificadorJugador": "X0000000T",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Response:

Code HTTP: 400 Bad Request

```
{
  "resultadoOperacion": {
    "codigo": 10001,
    "descripcion": "Datos de depósito no indicados o incorrectos"
  }
}
```

1.1.1.1.4 Deposit with “identificadorJugador” not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",
```

Junio de 2026



```
"idOperador": "1040",  
"cantidadDeposito": 300,  
"fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
"nombre": "PRUEBAS",  
"primerApellido": "ESPANOL",  
"segundoApellido": "NIEPRUEBAS",  
"fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.5 Deposit with “fechaEfectivaOperacion” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/slhc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",  
  "idOperador": "1040",  
  "cantidadDeposito": 300,  
  "identificadorJugador": "X0000000T",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:



Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10001,  
    "descripcion": "Datos de depósito no indicados o incorrectos"  
  }  
}
```

1.1.1.1.6 Deposit with “fechaNacimiento” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",  
  "idOperador": "1040",  
  "cantidadDeposito": 300,  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.7 Deposit with “nombre” field not provided

Junio de 2026



POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",  
  "idOperador": "1040",  
  "cantidadDeposito": 300,  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.8 Deposit with “primerApellido” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{  
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",  
  "idOperador": "1040",  
  "cantidadDeposito": 300,  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Junio de 2026



}

Response:

Code HTTP: 400 Bad Request

```
{
  "resultadoOperacion": {
    "codigo": 10000,
    "descripcion": "Datos de filiación no indicados"
  }
}
```

1.1.1.1.9 Deposit with “segundoApellido” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "uuidOperacionOperador": "79647742-f937-4dd2-d165-36405ddc715d",
  "idOperador": "1040",
  "cantidadDeposito": 300,
  "identificadorJugador": "X0000000T",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "fechaNacimiento": "1900-01-01"
}
```

Response:

Since it is not a mandatory field, the operation is accepted.

Code HTTP: 201 Created

```
{
  "uuidRegistroOperacion": "019eeebb-a4b8-7a78-af60-ca7b03d251b5",
}
```

Junio de 2026



```
"fechaEfectivaOperacion": "2026-06-22T09:48:55.352Z",  
"estadoOperacion": "COMPLETA",  
"estadoJugador": "COD800"  
}
```

1.1.1.1.10 Deposit with data from an already processed operation

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 20000,  
    "descripcion": "Operación ya registrada anteriormente"  
  }  
}
```

1.1.1.1.11 Cancellations with "Uuid" field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{
```



```
"resultadoOperacion": {  
  "codigo": 20001,  
  "descripcion": "Datos de anulación no indicados o incorrectos"  
}
```

1.1.1.1.12 Cancellations with “idOperador” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/slhc-operadores/v1/anulacion>

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPAÑOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 20001,  
    "descripcion": "Datos de anulación no indicados o incorrectos"  
  }  
}
```

1.1.1.1.13 Cancellations with “identificadorJugador” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/slhc-operadores/v1/anulacion>

```
{
```

Junio de 2026



```
"uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
"idOperador": "1040",  
"uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
"fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
"nombre": "PRUEBAS",  
"primerApellido": "ESPANOL",  
"segundoApellido": "NIEPRUEBAS",  
"fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.14 Cancellations with "uuidRegistroOperacion" field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:



Code HTTP: 400 Bad Request

```
{
  "resultadoOperacion": {
    "codigo": 20001,
    "descripcion": "Datos de anulación no indicados o incorrectos"
  }
}
```

1.1.1.1.15 Cancellations with incorrectly specified "uuidRegistroOperacion" field

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",
  "idOperador": "1040",
  "identificadorJugador": "X0000000T",
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b95",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Response:

Code HTTP: 400 Bad Request

```
{
  "resultadoOperacion": {
    "codigo": 20002,
    "descripcion": "Registro de operación inválido o incoherente con el identificador"
  }
}
```

1.1.1.1.16 Cancellations with "fechaEfectivaOperacion" field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>



```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

The operation is accepted without the field

Response:

Code HTTP: 200 OK

1.1.1.1.17 Cancellations with “fechaNacimiento” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
}
```

Response:

Code HTTP: 400 Bad Request

Junio de 2026



```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.18 Cancellations with “nombre” field not provided

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/anulacion>

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "primerApellido": "ESPANOL",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.19 Cancellations with “primerApellido” field not provided

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "segundoApellido": "NIEPRUEBAS",  
  "fechaNacimiento": "1900-01-01"  
}
```



```
"identificadorJugador": "X0000000T",  
"uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
"fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
"nombre": "PRUEBAS",  
"segundoApellido": "NIEPRUEBAS",  
"fechaNacimiento": "1900-01-01"  
}
```

Response:

Code HTTP: 400 Bad Request

```
{  
  "resultadoOperacion": {  
    "codigo": 10000,  
    "descripcion": "Datos de filiación no indicados"  
  }  
}
```

1.1.1.1.20 Cancellations with “segundoApellido” field not provided

```
{  
  "uuidOperacionOperador": "ca922226-5385-4670-90f5-0e0058599d2b",  
  "idOperador": "1040",  
  "identificadorJugador": "X0000000T",  
  "uuidRegistroOperacion": "019eda7d-b831-75d7-a2c9-7e38cfb7b957",  
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",  
  "nombre": "PRUEBAS",  
  "primerApellido": "ESPANOL",  
  "fechaNacimiento": "1900-01-01"  
}
```

Response:

As it is not a mandatory field, the operation is accepted

Code HTTP: 200 OK



5.2.2.2 Responses in the Testing environment

In the Testing environment, a more complete response is provided to assist with test management

1.1.1.1.21 Deposit Response

POST <https://aws-api-pre.ordenacionjuego.es/sldc-operadores/v1/deposito>

```
{
  "uuidOperacionOperador": "79644232-f822-4bb2-b375-34605edd726c",
  "idOperador": "1040",
  "cantidadDeposito": 500,
  "identificadorJugador": "X0000000T",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Respuesta:

Code HTTP: 201 Created

```
{
  "uuidRegistroOperacion": "019ef402-d35d-7842-9723-55e5a2682fb5",
  "fechaEfectivaOperacion": "2026-06-23T10:24:46.429Z",
  "estadoOperacion": "COMPLETA",
  "estadoJugador": "COD800",
  "datosLimitesJugador": [
    {
      "idDefinicionLimite": 1,
      "cuantiaActual": 70000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-23T04:00:00.000Z",
      "fechaFin": "2026-06-24T03:59:59.999Z",
      "acumuladoActual": 2700,
    }
  ]
}
```

Junio de 2026



```
      "etiqueta": "Diario"
    },
    {
      "idDefinicionLimite": 2,
      "cuantiaActual": 175000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-23T04:00:00.000Z",
      "fechaFin": "2026-06-30T03:59:59.999Z",
      "acumuladoActual": 2700,
      "etiqueta": "Semanal"
    },
    {
      "idDefinicionLimite": 3,
      "cuantiaActual": 330000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-09T04:00:00.000Z",
      "fechaFin": "2026-07-07T03:59:59.999Z",
      "acumuladoActual": 2800,
      "etiqueta": "4 Semanas"
    }
  ]
}
```

1.1.1.1.22 Cancellation Response

POST <https://aws-api-pre.ordenacionjuego.es/slhc-operadores/v1/anulacion>

```
{
  "uuidOperacionOperador": " ca911225-5385-4270-90f6-0e0058698c1b",
  "idOperador": "1040",
  "identificadorJugador": "X0000000T",
  "uuidRegistroOperacion": " 019ef402-d35d-7842-9723-55e5a2682fb5",
  "fechaEfectivaOperacion": "2026-06-18T00:00:00.000Z",
  "nombre": "PRUEBAS",
  "primerApellido": "ESPANOL",
  "segundoApellido": "NIEPRUEBAS",
  "fechaNacimiento": "1900-01-01"
}
```

Junio de 2026



Response:

```
{
  "datosLimitesJugador": [
    {
      "idDefinicionLimite": 1,
      "cuantiaActual": 70000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-23T04:00:00.000Z",
      "fechaFin": "2026-06-24T03:59:59.999Z",
      "acumuladoActual": 2200,
      "etiqueta": "Diario"
    },
    {
      "idDefinicionLimite": 2,
      "cuantiaActual": 175000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-23T04:00:00.000Z",
      "fechaFin": "2026-06-30T03:59:59.999Z",
      "acumuladoActual": 2200,
      "etiqueta": "Semanal"
    },
    {
      "idDefinicionLimite": 3,
      "cuantiaActual": 330000,
      "tipoCambio": "BAJADA",
      "fechaInicio": "2026-06-09T04:00:00.000Z",
      "fechaFin": "2026-07-07T03:59:59.999Z",
      "acumuladoActual": 2300,
      "etiqueta": "4 Semanas"
    }
  ]
}
```

Code HTTP: 200 OK

Junio de 2026



5.2.2.3 Operator Authentication

It will be published in the coming weeks.